

Phase 3 Set-up 38

Location: Building 10 North Elevation
Building 11 North Elevation
Building 23 North Elevation
Building 12 Roof Parapets

Stories: Building 10 - 4
Building 11 - 2
Building 23 - 3
Building 12 - 1

Material: Building 10 - Brick
Building 11 - Brick
Building 23 - Concrete
Building 12 - Brick

Square Feet: Building 10 = 788
Building 11 = 556
Building 23 = 344
Building 12 = 226

Tenants: Commercial & Residential

Catch Basin: Orange and Blue

Roof Drain: Bldg 11 - Scupper to downspout,
tightlined to drain system
Bldg 12 – Hole in parapet wall


Roof Protection: Bldg 11-Reroute with flex pipe and
filters to drain system
Bldg 12 – Plug and protect opening through parapet

Additional Protection: Protect parapet walls on the opposite side of the areas being abated by applying a single layer of 6-mil poly, attached to the building utilizing duct tape on all four surfaces, where it is safe to do so.

On parapet walls that cannot be safely sealed, apply one layer of 6-mil poly, attaching to the top of building with duct tape. The bottom edge shall be weighted, to allow the poly to drape at least one foot lower than the height of the parapet wall. During abatement operations, a safety monitor will continuously observe the draped area, immediately notifying the abatement supervisor should any visible dust be detected.

Skylights and Doghouses will have one layer of 6-mil poly applied directly to the interior surfaces adjacent to the abated areas. A secondary protective layer of 6-mil poly will be applied horizontally, at the interior base

(bottom) of each skylight/doghouse. Protection will be held in place utilizing duct tape and/or spray adhesive.



BUILDING 10, NORTH ELEVATION
BUILDING 11, NORTH ELEVATION
BUILDING 23, NORTH ELEVATION
BUILDING 12, ROOF, PARAPETS



PHASE THREE, SETUP 38



BUILDING 11, 200 LEVEL

NORTH ELEVATION

INTERIOR CONTAINMENT, WIPE SAMPLING LOCATIONS

OCCUPANCY TYPE: NON-RESIDENTIAL

LEGEND	
—	PRIMARY CONTAINMENT
—	SECONDARY CONTAINMENT
W	WIPE SAMPLE LOCATION



PHASE THREE, SETUP 38



BUILDING 12, ROOF LEVEL

ALL ELEVATIONS

INTERIOR CONTAINMENT, WIPE SAMPLING LOCATIONS

OCCUPANCY TYPE: NON-RESIDENTIAL

LEGEND	
—	PRIMARY CONTAINMENT
—	SECONDARY CONTAINMENT
W	WIPE SAMPLE LOCATION



PHASE THREE, SETUP 38



BUILDING 23, 300 LEVEL

NORTH ELEVATION


INTERIOR CONTAINMENT, WIPE SAMPLING LOCATIONS

OCCUPANCY TYPE: NON-RESIDENTIAL

LEGEND	
—	PRIMARY CONTAINMENT
—	SECONDARY CONTAINMENT
W	WIPE SAMPLE LOCATION



RCLLC 0011247



RAINIER COMMONS SURFACE WATER DRAINAGE FLOW MAP
 ADDING 6" DIA. DRAIN LOCATED SOUTH OF BLDG. 25 (D11-D14)
 ADDING 8" DIA. DRAIN LOCATED NORTH OF BLDG. 25 (D15)

REMARKS

DESIGNED BY: AEM
 DRAWN BY: PJR
 SHEET CHECKED BY: PJM
 CROSS CHECKED BY:
 APPROVED BY:
 DATE: JANUARY 2009

CDM
 Camp Dresser & McKee Inc.
 11811 N.E. 1st Street, Suite 201, P.O. Box 3885
 Bellevue, Washington 98005
 Tel: (425) 453-8383
 consulting • engineering • construction • operations

VERIFY SCALE
 THIS BAR IS
 ONE INCH LONG
 AT FULL SCALE

RAINIER COMMONS LLC
 3100 AIRPORT WAY S
 SEATTLE, WASHINGTON

CATCH BASIN STUDY

CAT